

Assessing the suitability of cats for rehoming



Why do behaviour assessments?

Behaviour assessments necessary to

Meet needs whilst in shelter – welfare considerations Ensure safety of shelter staff Assess options for live outcome Determine type of placement or adoptive home Provide support following placement Ensure resources available to meet the cat's needs

Requirements for behaviour assessments


Historical information – prior to admission (previous owners, finders)
Medical history and assessment
Daily behaviour observations in shelter
Observations during assessment protocols



Behavioural history

Personal interviews Questionnaires

Finders Foster carers Previous owners





In shelter observations

Good record keeping

daily observations record good, bad and neutral objective descriptions of body language, behaviour and situation

	deltermate represencerg au/anemal/search asp/h	enmaled = 9122364mecroare 1005	£765taik some		9 9 E
Dispatch Search Dispatch Dispatch Dispatch Dispatch Reports Lincopts produktioneg	Seman Key (1223) Neuro Key Ages 9 Weeks (approx) Ered. Dowerkit: Doct Hale Control for Holdwich Jig an 15/11/2219 Falg Astend In Onkers: B Interretted Pottles: B (I non-prova) This potential to pour of a 185m.	Uşelare Detaile	Photo / Document Messager Select (balts from Camero	Advention for the second secon	
tic Library metul Links	Identification Petally	Go to Reson Record		A start to a start to a start of the start o	
Recular	Storent Store *				
Forytridents.	Adopted *	E Status Date:	 31/12/2019 01 11 846 		
THREETWICE	Data Series Contract Series Contract Series			Const Deleteration 2 M Addition Community and	
Logiste	Notice and the second s			A ST AND DRIVEN AND THE AND A ST AND A	
	Other Montpleaders	ACO Record P on			
Support	(rg. tallac):				
Intrases.	(nergincy Clinic Rel Hander	Case Number Inc.		Talenapper's Tay 1 other National Confidence	
Auri Norder	Energy (Searcing Research (*)			The second	
31 9224 2222	Workery Tag / Earld Warrison (***	Tuthogen Term			
CONTRACTOR OF	the second s	fall-regresting lide	inSelects *		
ALL DO	lag J Bard Gener			Very Million Index	
	Microsoft Drand	Murry Namber	856200011145411	Add Tole Control Institute of the	
Translation in a	Instanto Verse	Brighauter Baller	19112019		
10.00	Increasing Registered Mith.				
	Secondary / Desines Registeration #		adak Supply Nomber	Thermal March States	
-		Registration ing Status		The second	
	East Easter Runderr			Additional	
	Replacement Nation 14	Registration basing		Converting Construction in Colour Automatic	



Behaviour assessments

There is no standard test that

is quick and easy requires minimal training and expense is safe and humane poses minimal risk of disease transmission reliably predicts behaviour in different situations provides definitive information for decision making

'Meet your Match Feline-ality'

day 3 history notes test Not suitable for cats showing aggression






What behaviours owners want in cats

Human animal bond Important factor is social bonding





What determines potential for social bonding?






Socialisation

Kittens raised with rats don't kill rats (of that strain), and will show social behaviour towards them





What determines potential for social bonding?









Reducing the flight distance


Relatively tolerant of people Does not result in social bonding







Which cat is socialised?








How do you determine fear of people versus fear of shelter?





Sociability





Cats and 'shelter' stress

Cortisol (stress hormone) remains high for the first 3 days

Most adjust well in the first two weeks, although some never show decreased stress


Behavioural signs may include

- Increased sleep
- Decreased activity
- Hiding





Spectrum of socialisation





- Meow and Purr
 - With rod stroke
 - More socialised
 - Improve over time





- Chirp, Rub, Knead, Touch, Play
 - Socialised
 - Even if only do **once**.
 - Even if touches toy





- Tail Up
 - Always socialised





• Spend time in the front 1/3 of the cage

Socialised





Summary: social behaviours during assessment



Any one of these behaviours = likely to be socialised

IMPORTANT

NOT all socialised cats do these behaviours Shy cats may not be bold enough to demonstrate



Behaviours seen in socialised and unsocialised cats

- Growling / Hissing
 - Both groups do
 - Not specific





Behaviours seen in socialised and unsocialised cats

• Blinking

- Both groups do
- Not specific





Behaviours seen in socialised and unsocialised cats

• Not eating or using litter tray during the day

- Both do
- Not significant





Feline Spectrum Assessment

- <u>https://www.aspcapro.org/research-feline-spectrum-assessment/implement-fsa-your-shelter</u>
- For cats that are not obviously socialised
 - Validated
- To be used in **addition** to information from
 - Care givers (animal attendants)
 - Volunteers
 - Foster parents
 - Veterinary reports
- Helps inform decisions
 - Euthanasia
 - Rehoming
 - Behaviour modification
 - Foster

Only for cats that aren't obviously social.






Maximising the chance of observing social behaviour.

Reducing fear and stress





Introduction to environmental management







Minimal cage requirements

Separate function areas for

Feeding Resting Perching Hiding Elimination Play Scratching




Lower stress with

Soundproofing Exposure to natural light (windows) Cages elevated off the ground DO NOT HOUSE WITH DOGS




Foster care





Introduction to Handling.






RSPCA Vic body language online learning module

Email: education@rspcavic.org.au






Introduction to Handling.



Examining a fearful cat

Introduction to Husbandry




Intake

Stress is likely to be exacerbated by

Rough handling Lack of hiding opportunities Long travel times Proximity to other cats/dogs Time waiting to be placed in a cage Quality of housing










Decision making





Questions



